How US EPA, LDEQ, LDOH Ignore Evidence of Chemical and Particulate Pollution which is Killing and Harming Death Alley Residents


Feb. 20, 2010


Vickie Boothe, MPH

Epidemiologist, Environmental Engineer 350 New Orleans

Air Pollution: Risk Drivers in Louisiana


- □ Fine Particulate Matter (PM2.5)
 - Exposure Causes
 - Premature death, asthma, heart disease, lung cancer, respiratory infections¹
 - Burden: ~8.9 million worldwide deaths/year²
 - 2.08 million COVID-19 deaths³
- □ Air Toxics
 - 187 Pollutants
 - Known/likely to cause cancer or other serious effects
 - EPA Acceptable Threshold/Action Level⁴
 - Lifetime cancer risk > 100 in-a-million
 - 2 Primary LA Risk Drivers






2011 National Air Toxics Assessment (NATA)

- □ Dec '15 Released to public⁵
- Areas above EPA action level (100-in-1 million)
 - 130 of 78,000 (<1%) Census Tracts
 - St. John highest (county/parish) cancer risk in US
 - Risk: 254 in-a-million
 - 80% Chloroprene (Dupont/Denka)
 - Denka neighborhood highest (census tract) risk
 - Risk: 826 per million people
 - 93% Dupont/Denka Chloroprene (Neoprene feedstock)







EPA 2011 NATA Response

- □ Nov '15 May '16 EPA HQ Convenes Meetings⁶
 - EPA R6, LDEQ, Denka
- □ May '16 EPA Region 6 Actions
 - Launches 6 neighborhood chloroprene monitoring sites
 - Conducts Denka compliance inspection
 - Identifies 50 potential CAA violation
- □ July '16 Region 6 Community Outreach
 - 1st Public Meeting
- □ Jan '17 1ST EPA/LDEQ Legal Action
 - Denka signs Consent Decree
 - Commits to 85% chloroprene reductions










2014 National Air Toxics Assessment

- □ Oct '18 Released to public⁷
- St. John highest (county/parish) cancer risk in US
 - Risk: 413 in-a-million
 - 47% Ethylene Oxide (Evonik Material Corp.)
 - 44% Chloroprene (Dupont/Denka)
 - 6% Formaldehyde
- Denka neighborhood highest (census tract) risk
 - Risk: 1505.1 in a million
 - 85% Denka/Dupont Chloroprene
 - 12% Ethylene Oxide, 2% Formaldehyde
- St. Charles (136), Iberville (112)
 - Primarily Ethylene Oxide, Formaldehyde










2018 NATA EPA Response

- EPA HQ Convened Meetings
- ☐ EPA Region 6 Actions
 - Ethylene Oxide (EtO) monitors
 - **EtO** Facility compliance inspections
- EPA Region 6 Community Outreach







Louisiana Department of Public Health (LDPH) Engagement

- 2012 IRS-required Community Health Needs Assessment (CHNA)
 - Every 3 years Hospitals must conduct CHNA, adopt strategy to address "significant" needs
 - May not "exclude medically underserved, low-income, or minority populations"
- □ Mar '15 Aug '15
 - Metropolitan Hospital Council of New Orleans⁸
 - Study Areas: 51 Zip Codes in 15 Parishes
 - 99% of St. John the Baptist Parish Population
- ☐ Mar '15 Oct '15
 - East Jefferson General Hospital9
 - Study Areas: 15 Zip Codes in 6 Parishes
 - **78% of St. John the Baptist Parish Population**
- LDPH collaborated on both CHNAs




79080	St. Charles
79080	St. Charles
7,097	9 Chales
79052	% James
70071	St. James
79090	St. James
78,6	
78051	St. John the Baptist
70058	St. form the Backs
70084	St. John the Baptist
333	V 1468by
	79052 2803 79050 2828 79051 2838 79084


Piguro 1, those of basis inflormate become broughted Study Arco			
	u Pixe	7088	3. John the Beyton Prins
	Nono	333	3 (300 /00)
	Saint Rose	1337	9. Oznie Parsi
	New Orleans	70.0	Owen Parys
	New Orleans	7011	lefferen Parit
	New Orleans	732	description
	New Orleans	70134	Oteans Parst

2015 Community Health Needs Assessments*

Metropolitan Hosp. Council of New Orleans (MHCNO) (Oct. 2015)




East Jefferson General Hospital (EJGH) (Nov. 2015)



* St. John and St. Charles Zip Codes dropped from MHCNO & EJGH 2018 CHNAs


Louisiana Department of Public Health (LDPH) Investigations

- □ Sept '15 E. St. John Elementary (650 students) 10
 - Outbreaks of asthma-like respiratory symptoms
 - Numerous complaints (e.g., vomiting, headaches, burning eyes, weakness)
- LDPH Findings:
 - School in "high-risk area" among Industrial facilities
 - Producing "air-borne particulates", risks from chemical releases
 - Be relocated, Needs plan: minimize particulates entry, manage indoor air quality




Louisiana Department of Public Health (LDPH) Investigations


- □ June '18 5th Ward Elementary (500 students), 1500 ft. from Denka¹¹
 - Does chloroprene exposure risks after 85% reduction warrant school relocation?
 - Analysis ignored past exposures to average concentration 25 times higher
 - Did not consider risks from other toxics (ethylene oxide)
- LDPH Findings:
 - Students continue to have "elevated lifetime cancer risks"
 - Level of air toxics risks "high across the entire parish"
 - Relocation "would not greatly decrease their risks of developing excess cancers."





Residents Failed by LDPH Summary

- □ First-hand knowledge of air pollution impacts
 - >1100 students; St. John, St. Charles Asthma Rates
- ☐ Silent: highest COVID-19 death
 - St. John in US & LA, Cancer Alley in LA
 - 3 Studies found independent links to PM2.5, Air Toxics¹²⁻¹⁴
- □ *NO* Epi study air pollution-related health effects despite
 - LDPH access to local data
 - Premature death, asthma, heart disease, lung cancer, etc.
 - Availability of NATA, PM2.5 exposure data
- LDPH & LDEQ \$311,000 EPA R6 "Study"
 - Designed-to-fail assessment: cancer rates around Denka
 - No exposure data
- □ Time to hold LDPH, LA Officials, Agencies accountable?










References


- 1. US EPA. Policy Assessment for the Review of the National Ambient Air Quality Standards for Particulate Matter. EPA-452/R-20-002. January 2020
- 2. Burnett R, Chen H, Szyszkowicz M, et al. Global estimates of mortality associated with long-term exposure to outdoor fine particulate matter. Proc Natl Acad Sci U S A. 2018;115(38):9592-9597. doi:10.1073/pnas.1803222115.
- 3. Johns Hopkins University Center for Systems Science and Engineering
- 4. US EPA. National Air Toxics Assessment. NATA Overview. Frequently Asked Questions https://www.epa.gov/national-air-toxics-assessment/nata-frequent-questions
- 5. US EPA. National Air Toxics Assessment. 2011 Results https://www.epa.gov/national-air-toxics-assessment/2011-nata-assessment-results
- 6. US EPA. EPA in Louisiana. LaPlace, Louisiana Air Monitoring. https://www.epa.gov/la/laplace-louisiana-air-monitoring-0
- 7. US EPA. National Air Toxics Assessment. 2014 Results https://www.epa.gov/national-air-toxics-assessment/2014-nata-assessment-results
- 8. Metropolitan Hospital Council of New Orleans (MHCNO). 2015 Community Health Needs Assessment www.stph.org/upload/docs/AboutUs/MHCNO%202015%20Community%20Health%20Needs%20Assessment.pdf.
- 9. East Jefferson General Hospital. 2015 Community Health Needs Assessment https://eigh.org/wp-content/uploads/2019/05/2015-EJGH-Commuinty-Health-Needs-Assessment.pdf
- 10. Louisiana Department of Health. Evaluation of Potential Health Risks for Elementary School Students based on Early Sampling Results following Emissions Reductions. June 14, 2018. https://ldh.la.gov/assets/oph/Center-EH/DENKA/PreliminaryChloropreneReport.pdf
- 11. Louisiana Department of Health, Office of Public Health. Evaluation of Potential Health Risks for Elementary School Students based on Early Sampling Results following Emissions Reductions. June 14, 2018. https://ldh.la.gov/assets/media/PreliminaryChloropreneAssessmentFINAL.pdf
- 12. Wu, X., Nethery, R. C., Sabath, M. B., Braun, D. and Dominici, F., 2020. Air pollution and COVID-19 mortality in the United States: Strengths and limitations of an ecological regression analysis. Science advances, 6(45), p.eabd4049. https://projects.ig.harvard.edu/covid-pm/home
- 13. Petroni, M. et al. "Hazardous air pollutant exposure as a contributing factor to COVID-19 mortality in the United States." Environmental Research Letters 15 (2020)
- 14. Kimberly A. Terrell and Wesley James. Environmental Justice. ahead of printhttp://doi.org/10.1089/env.2020.0021



PM2.5 Exposures: Health Effects

- EPA: PM_{2.5} causally related:⁸
 - Premature deaths
 - Cardiovascular
 - Respiratory
 - Lung cancer
 - Cardiovascular effects
 - Coronary heart disease
 - Heart attacks
 - Stroke
 - Respiratory effects
 - Asthma onset & exacerbations
 - COPD (adults)
 - Respiratory infection

- PM_{2.5} emerging evidence of causality:⁸
 - Neurological Effects
 - Autism Spectrum Disorder (ASD)
 - Alzheimer's Disease
 - Parkinson Disease
 - Metabolic Effects
 - Diabetes
 - Obesity
 - Reproductive Effects
 - Congenital Heart Defects
 - Preterm Births
 - Low Birth Weight



Cancer Alley: Highest Air Toxics & COVID-19 Death Rates

